

REB 15 Azz

By professionals – for the demanding: Electronically controlled battery backpack sprayer

**max.
4.5 bar****15
Liter****2****Li-Ion 14 V**

Performance characteristic

- 1 – 4.5 bar
- 5.5 h / 120 litre*
- Li-Ion 14.4 V / 2.7 Ah
- Battery  < 2 h

* at 1.5 bar / mist



Made in Switzerland

The new battery-operated backpack sprayer: high-performance, versatile, ergonomic...

The completely new concept of controlling the pressure by electronics enables new options for the user. The operating pressure at the nozzle is adjusted with an application controller. Everything is monitored and controlled by the electronics: constant pressure, on, off, pump protection functions and battery charge state. The removable battery enables uninterrupted working. No control wires in the hand valve. Therefore less prone to faults and the accessories can be used to their full extent.




Real work comfort!

- Consistent spray pattern
- Drop size adjustable
- Re-defined ergonomics
- Hose outlet in front
- Click belt system



Electronically controlled

- Continuous operating pressure
- Pressure range: 1 – 4.5 bar (14.5 – 65 psi)
- Protective setup for pump and battery
- Energy efficient



«Look and feel»
the ergonomics



Proven Birchmeier technology

- Robust pump
- Tank outlet via suction system
- New designed click belt system
- Brass nozzle adjustable
- Top quality mountings
- Large filling opening with strainer



Further information



Vario Gun
Art.No. 11558501



Spray hood oval, white
Art.No. 10501606



Herbicide floodjet nozzle
Art.No. 10501803-SB



Fanjet nozzle
Art.No. 11612810



Bio filter bag
Art.No. 11475701



XL 8 S Telescopic lance (7 m)
Art.No. 11935801





Spray boom aluminium
Art.No. 12033001



Stainless steel hand-cart H2
Art.No. 12022601

Accessories

More accessories
www.birchmeier.com



REB 15 AZ2
Art.No. 11957001

Technical specifications

Tank volume	15 litre (4 US gal)
Max. pressure	4.5 bar (65 psi)
Battery	Li-Ion 14.4 V / 2.7 Ah
Battery charging time	2 h
Life span battery	approx. 800 charging cycles
Nozzle type	Adjustable nozzle
Nozzle material	Brass
Nozzle hole size	1.7 mm
Gaskets	NBR
Fitting assembly	Screw fitting
Pump	Piston pump 12 V / DC
Min./max. temperature	5 °C – 30 °C (41 °F – 86 °F)
Dimension (L x W x H)	220 x 400 x 610 mm (2.0 x 1.3 x 0.72 ft)
Empty weight with battery	4.1 kg (9.0 lbs)
Sound pressure level	< 70 dB (A)
Stress class	2

Further Birchmeier products:



Your Birchmeier distributor

BIRCHMEIER®

Birchmeier Sprühtechnik AG
Im Stetterfeld 1
5608 Stetten
Schweiz
Telefon +41 56 485 81 81
Fax +41 56 485 81 82
www.birchmeier.com